

Taskbar 1




A member of the Rush Series of luminaires, Taskbar utilizes TIR optics and a minimalist aesthetic to provide customizable and glare-free task illumination.

Features


- Specifiable fixture and arm lengths
- Integrated on/off/dimming control
- Extruded recycled aluminum fixture housing
- Welded aluminum arms
- Aluminum core LED boards, specifiable output
- Specifiable color temperature. CRI > 90, R9 > 50
- Custom finishes available
- Remote dimmable drivers
- 5 Year, 50,000 hour warranty, damp location rated
- WELL Building Standard compatible [learn more](#)

Dimensions



Arms are 1" square tube.
Dimensions A,B, & C are specifiable.

Optics



Representative distribution and peak candela. For other options see order information or IES files [here](#).

Taskbar 1

Ordering Information

For each option group below specify one option. If you don't see your preferred option listed, contact us for [help](#).

1	Fixture ID	2	Configuration/Length	3	Color Temperature	4	Output
	RUSH.TB1		Fixture Length (A) X'X" Specify Length Maximum 4ft. Horizontal Arm (B) X'X" Specify Length Maximum 36". Vertical Arm (C) X'X" Specify Length Maximum 48".		27 2700K/90 CRI 30 3000K/90 CRI 35 3500K/90 CRI 40 4000K/90 CRI		LOW Low output MED Medium output HIGH High output CUST Custom output Specify watts or lumens
5	Voltage	6	Driver	7	Finish	8	Mounting
	UNV Universal (120/277V)		DB Standard 0-10V 1% DB.1% 0-10V 0.1%		Housing W White BLK Black CC Custom Color See finish options here . Louver W White BLK Black		GM Grommet Mount
9	Optics	10	Sensors/Controls	11	Circuit	12	Options
	SP 24° Beam FL 36° Beam WFL 55° Beam		NA None		NA None		NA None

Performance

Output ¹	Watts/ft	Lumens/ft
Low	4	312
Medium	6	469
High	8	625

¹Based on a typically configured 90 CRI, 3500K luminaire using one driver. Custom outputs available. Please consult factory. For 4000K multiply by 1.05, for 3000K, 0.9%, for 2700K, 0.92.

Technical Information



click [here](#) or scan QR code

Wiring diagrams, PoE and sensor details

Taskbar 1

Drivers & Electrical

Remote, dimmable drivers are supplied in enclosures.
For remote driver box sizes, click [here](#).

Finishes

All luminaires are finished in high quality polyester powder coating. Our standard color is white. Any RAL color may be specified.

Weight

1 lb per foot



Mounting

Optics


Glare-free, beam-controlling TIR optics.

Construction


Extruded, recycled aluminum housing with formed cast ends. Arms are welded steel.



Grommet



Washer



Locknut